

BODY AESTHETICS

LIPOSUCTION

TUMMY TUCK (ABDOMINOPLASTY)
UPPER ARM AESTHETICS


LABIAPLASTY

BBL

TIGHT LIFTING

BREAST AESTHETICS

(Breast Augmentation, Breast Reduction, Mastopexy Gynecomastia)



Liposuction is a popular application used to remove excess fat in certain parts of the body, such as theabdomen, waist, hips, legs, back, arms or neck. Liposuction also helps to shape these areas and improve their contours.

MORE INFORMATION \rightarrow



Number of Sessions

1

Operation Time

2-3 Hours



Sensitivity Time

2 Weeks



Time to Return to Work

10-14 Days



Hospitalization

1 Day



Season

Every Season




Persistence of Results

Permanent



Anesthesia



It is a surgical procedure in which excess fat and skin on the abdomen are removed, and the abdominal muscles that have weakened over time are repaired and supported in the midline. The aim is providing the individual with a smoother and flatter abdomen in this way.

MORE INFORMATION \rightarrow



Number of Sessions

1



Operation Time

2-4 Hours



Sensitivity Time

2 Weeks



Time to Return to Work

2 Weeks



Hospitalization

1 Day



Season


Every Season



Persistence of Results
Permanent



Anesthesia



Upper arm aesthetic operations are surgical operations that provide solutions to arm sagging, stretch marks, the back of the arms being larger or more swollen than the front, and fat accumulation in the armpit. The shape, and appearance of the arms can pose an important problem, especially in people who lose or gain a lot of weight. In addition, arm sagging can be seen in those who do not exercise a lot.

MORE INFORMATION \rightarrow



Number of Sessions

1



Operation Time

1-2 Hours



Persistence of Results

Permanent



Sensitivity Time

2 Weeks



Time to Return to Work

2 Weeks



Anesthesia **General**

Anesthesia





Season
Every Season



Genital aesthetic surgery is the newest and fastest growing sub-specialty in the broad spectrum of gynecology. Surgery includes procedures designed to change the aesthetic or functional aspects of the genital area.

MORE INFORMATION \rightarrow



Number of Sessions

Operation Time

1-2 Hours



Persistence of Results

Permanent



Sensitivity Time

2 Weeks



Time to Return to Work

1 Week



Anesthesia


Season

Every Season



Hospitalization 1 Day





BBL

Buttock aesthetic operations are surgical procedures applied to reshape the body contour in the buttocks and hips and to obtain an hourglass appearance.

MORE INFORMATION \rightarrow



Number of Sessions

Operation Time

3-4 Hours



Time to Return to Work

2 Weeks





Persistence of Results **Permanent**



Sensitivity Time

2-3 Weeks



Season


Every Season



Anesthesia General Anesthesia



Hospitalization 1 Day



BODY AESTHETICS

TIGHT LIFTING

Rapid weight gain and loss may cause sagging and lossening in the arms and legs. In some patients, the legs may be comparatively asymmetrical from birth. In such cases, leg aesthetics can be a solution.

MORE INFORMATION \rightarrow



Number of Sessions

1

Operation Time

2-3 Hours



Persistence of Results

Permanent



Sensitivity Time

2 Weeks



Time to Return to Work

2 Weeks



Anesthesia **General**

Anesthesia





Season
Every Season



Depending on the body structure of each woman, breasts also tend to have some differences. Breast augmentation is a plastic surgery operation to change the shape and size of the breast. For example, in some women, the breast size may be small for their body. Or, the desired size could not be achieved in the previous operation and a second operation may be needed. Some people, on the other hand, may prefer this operation to correct the size di erence between their two breasts.

MORE INFORMATION \rightarrow



Number of Sessions

Sensitivity Time

1 Week

1



Operation Time

1-3 Hours



Time to Return to Work

1 Week



Hospitalization

1 Day



Season

Every Season



Persistence of Results

Permanent



Anesthesia

